

From: dbofinger@kemron.com
Sent: 4/1/2012 7:30:46 AM

To: "Richard Fetzer/R3/USEPA/US@EPA" <Fetzer.Richard@epamail.epa.gov>
CC:
Subject: Re: [Ex. 6 - Personal Privacy]

Thank you Rich, have a nice day.

Sent from my iPhone

On Apr 1, 2012, at 7:19 AM, "Richard Fetzer" <Fetzer.Richard@epamail.epa.gov> wrote:
Dave. We. Will take care of this. Rich.

Richard M. Fetzer
Federal On-Scene Coordinator
100 Gypsum Road
Stroudsburg, PA. 18360
(570) 402 7108

From: "David Bofinger" [dbofinger@kemron.com]
Sent: 03/31/2012 11:38 AM AST
To: "James Adams" <jadams@kemron.com>
Cc: Richard Fetzer; Joanna McDonald
Subject: Re: [Ex. 6 - Personal Privacy]

Good job Paul, maybe Rich will have [Ex. 6 - Personal Privacy] contacted by someone from the agency to explain it again. Thanks Dave

Sent from my iPhone

On Mar 31, 2012, at 11:34 AM, "James Adams" <mailto:jadams@kemron.comjadams@kemron.com> wrote:

Rich/Dave

I received a call from [Ex. 6 - Personal Privacy] asking again for water. [Ex. 6 - Personal Privacy]

I spoke with her and explained that representatives from the EPA had meet with her regarding her water & the bottled water deliveries had been scheduled back to [Ex. 6 - Personal Privacy] as she had returned, and as she was suppose to be receiving them this whole time. She agreed, but also that but that [Ex. 6 - Personal Privacy] did not share her water with them and she told the EPA rep, that she was not going to drink the water because the sample results EPA shared did not show what **was** in the water only **what wasn't**. I again explained to her that she was not supposed to receive bottled water at any point, and the only reason she had was because that is what [Ex. 6 - Personal Privacy] had requested we do. [Ex. 6 - Personal Privacy] again stated that she wasn't going to drink her water and wanted bottled water. I explained that I could not just bring her water because [Ex. 6 - Personal Privacy] wouldn't share and that that decision was made by EPA and discussed with her, all I was capable of doing at this time would be to inform the EPA site personnel of her opinion. She said ok and hung up on me.

Paul

J. Paul Adams

570.955.3563 (site number)

404.889.1879 (cell)

678.302.6971 (e-fax)

Current Projects:

SE1635-Dimock PA Water Site (Active)

SE1628-FMO Pesticide (on hold)
SE1613- Former Mohr Orchard (CLOSEOUT)
SE1632-Chesapeake AT-GAS (CLOSEOUT)

Know Safety, No Accidents

P Before printing, think about ENVIRONMENTAL responsibility

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message. To contact us directly, send to <mailto:postmaster@kemron.com>postmaster@kemron.com. Thank you.

Know Safety, No Accidents

P Before printing, think about ENVIRONMENTAL responsibility

The information contained in this email may be confidential and/or legally privileged. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. If you have received this communication in error, please reply to the sender and destroy all copies of the message. To contact us directly, send to postmaster@kemron.com. Thank you.
